

**3H**<sup>®</sup>  
Since 1971

**TANNERY MAKING PLANTS.**



**656**

**Hydraulic Shaving Machine.**

## 656 Hydraulic Shaving Machine.

1. Rigid construction, will not occurred the vibration when working.. main roller is faxed type. it offer high stability. the thickness control by 16 digits micro-processor to the driving motor, also with micro-adjustment, it gives even thickness.
2. This machine is suitable for cow, goat, pig, with minnum thickness 0.5 mm. After shaving the leather become fine and soft. is good for next process.
3. Efficiency of the hydraulic system, the feeding roller is driving by hydraulic motor, easy adjustment of the speed. Can finish shaving after one pass.
4. Very strong main structure formed by cast iron body-sides stabilised, connected with steel strong beams.
5. Variable speed hydraulic opening and closing.
6. Hydraulic control of thickness increase Centesimal.
7. Hydraulic device for thickness increasing up to 0.3 mm.
8. In-feed and out-feed speeds adjustable hydraulically from 0 to 75 m/min.
9. Centesimal automatic device of wheel feeding for blade cylinder grinding.
10. Hydraulic control device for grinding wheel feed to and from blade cylinder during shaving operation. This operation is hydraulic.
11. Safety device perfect.
12. Sealed electrical cabinet in conformity with safety standards, (DC-24V,).
13. Big blade cylinder fitted on special tapper roller (high charge).
14. Precision reliability and high output are guaranteed by the employment of studied oil-dynamic controls and rolling bearings on all movement members.
15. These results are guaranteed by a design which combines the most up-to date technology with the experience gained in the construction of this machine enabling to work each type from 3 to 60 feet. By this way a precise accuracy on thickness if guaranteed.
16. Accurate ergonomics design makes the operators work station highly functional.

MODEL		656
Working width	mm	1800
Cylinder power	kw	37.5
Hydraulic power	kw	5.625
Grinding power	kw	3
Capacity	pcs/hr	120~180
Net weight	kgs	7000
Dimensions	mm	3300X1460X1950



### 3H MACHINE CO., LTD.

NO.32 CHANG-BEI. STREET TAINAN CITY. TAIWAN TEL:NO.886-6-2111123(5 LINES) FAX:NO.886-6-2265789  
MOBIL PHONE:0933-665555 E-Mail:h3h3h3h@ms24.hinet.net


**3H**<sup>®</sup>  
Since 1971

# TANNERY MAKING PLANTS.

## TANNERY MAKING PLANTS.



Side View Of Machine




Sealed Electric Control Panel




Hydraulic Unit.

# 656 Hydraulic Shaving Machine.



PLC Computer



Back View Of Machine